

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	440	points and faces and (draft adj angle)	USPAT	OR	ON	2004/12/09 13:21
L5	19	4 and CAD	USPAT	OR	ON	2004/12/09 13:31
L6	1	(blend\$4 adj draft\$4) and corner and radius	USPAT	OR	ON	2004/12/09 13:32

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(CAM or (computer adj aided adj manufacturing)) and part and (part\$4 adj industrialization\$4)	USPAT	OR	ON	2004/12/09 10:26
S2	159145	(CAM or (computer adj aided adj manufacturing)) and part	USPAT	OR	ON	2004/12/09 10:26
S3	2	S2 and (draft\$4 adj angle\$4) and drafted	USPAT	OR	ON	2004/12/09 10:28
S4	133	S2 and (draft\$4 adj angle\$4)	USPAT	OR	ON	2004/12/09 10:28
S5	24	S4 and cad	USPAT	OR	ON	2004/12/09 10:28
S6	2	("5224048"   "6556886").PN. OR ("6791055").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/09 10:31
S7	7	(draft and angle).ti.	USPAT	OR	OFF	2004/12/09 10:32

[Advanced Search](#) [Search Tips](#)

Searched for "draft angle".

Results 1 - 1 of about 2. Search took 0.07 seconds.

Sort by: [Date](#) / [Relevance](#)

[\[PDF\] An Assessment of Data Requirements and Data Transfer Formats for ...](#)

... for support structures are determined from the geometry of the part, as described by a 3D boundary model or 2D slices, and the maximum **draft angle** the selected ...

[www.nist.gov/insidlibrary/doc/nistir6216.pdf](http://www.nist.gov/insidlibrary/doc/nistir6216.pdf) - 1998-11-16 - [Text Version](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 1 already displayed.*

*If you like, you can repeat the search with the omitted results included.*

Powered by Google